

Table 4F
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Page: 1
Run Date: 8 / 24 / 07

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
16th Stree	6,841	4.0	4.2	86.0	0.1	4.5	1.0	0.2
Aurora	3,899	3.9	81.3	5.4	0.4	7.1	1.5	0.4
Barron Cty	1,092	84.0	3.6	8.7	0.8	0.5	1.4	1.1
Bay Area	911	82.1	0.2	2.7	4.4	0.4	9.9	0.2
Buffalo	385	88.3	0.0	6.8	1.3	0.0	2.9	0.8
Burnett Ct	397	82.9	0.8	3.5	1.3	0.0	10.8	0.8
Calumet Ct	616	67.4	4.1	19.3	0.3	7.1	1.8	0.0
Chippewa	1,364	90.0	0.8	3.1	0.8	1.0	3.6	0.7
City Mad	3,782	20.4	27.4	33.5	0.1	9.5	8.8	0.3
Clark Cty	741	74.5	0.1	21.7	0.7	0.0	2.0	0.9
Columbia C	820	76.7	0.9	16.6	0.1	0.4	5.0	0.4
Dane Cty	2,849	34.5	11.9	38.9	0.4	4.0	10.0	0.3
Dodge Cty	1,230	63.3	1.1	29.1	0.3	0.8	5.0	0.4
Door Cty	453	78.8	2.4	14.6	0.9	0.7	2.2	0.4
Dunn Cty	984	77.8	0.9	4.9	0.7	8.9	5.5	1.2
Eau Claire	2,246	65.7	0.9	8.3	0.4	10.9	12.9	0.9
Family Hea	977	62.5	0.5	33.0	0.1	1.0	1.4	1.4
Family Pla	3,290	64.7	1.1	8.0	0.3	20.2	5.6	0.2
Florence C	122	95.1	0.0	4.1	0.0	0.0	0.8	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Page: 2
Run Date: 8 / 24 / 07

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Fond du La	1,891	63.5	3.1	23.4	0.0	3.6	6.2	0.1
Forest Cty	257	89.5	0.4	0.4	3.5	0.4	5.4	0.4
GLITC	1,295	6.9	0.3	3.3	79.2	0.1	9.1	1.2
Grant Cty	1,124	90.8	0.7	5.2	0.1	0.5	2.0	0.7
Green Cty	648	83.3	1.1	13.7	0.2	0.3	1.2	0.2
Health	3,323	29.4	22.0	39.5	0.2	0.5	8.2	0.3
Jackson	553	79.2	0.7	9.0	8.5	0.5	0.9	1.1
Jefferson	1,746	53.7	1.3	42.1	0.1	0.3	2.1	0.5
Juneau	1,291	86.4	0.2	6.9	0.3	0.8	5.1	0.4
Kenosha Ct	3,972	36.9	17.1	39.1	0.1	0.7	5.7	0.4
Kewaunee C	299	74.9	1.7	18.7	0.0	0.0	4.3	0.3
La Crosse	2,264	67.3	3.0	3.9	0.4	15.2	9.8	0.4
Marinette	1,074	94.1	0.3	2.6	0.7	0.6	1.5	0.3
Menominee	563	0.5	0.0	10.7	74.6	0.0	12.6	1.6
Mil. City	8,320	9.2	58.8	22.5	0.4	3.5	5.4	0.2
MLK	3,152	3.3	85.0	7.0	0.1	0.7	3.5	0.4
Monitowoc	1,498	60.0	1.3	20.9	0.4	10.6	5.7	1.1
Monroe Cty	957	79.2	1.6	15.6	0.7	0.5	1.9	0.5
NEW Comm	5,749	44.0	4.8	36.0	2.5	8.2	4.1	0.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Page: 3
Run Date: 8 / 24 / 07

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
NHA	3,814	55.6	11.1	26.9	0.1	1.1	4.5	0.6
NWCSA	1,169	80.8	1.2	3.1	1.8	0.5	12.2	0.4
Oconto Cty	591	92.7	0.3	2.4	0.3	0.3	3.2	0.7
Oneida	517	7.5	0.0	19.7	58.2	0.2	14.3	0.0
Oneida Cty	573	93.5	0.3	2.8	0.3	0.2	2.6	0.2
Outagamie	2,559	54.6	2.0	22.2	0.9	14.7	5.3	0.3
Pierce Cty	703	85.2	2.0	5.4	0.1	0.4	5.4	1.4
Polk Cty	840	92.6	0.1	3.5	0.7	0.0	3.1	0.0
Portage Ct	1,165	68.2	0.9	12.7	0.6	14.1	3.1	0.4
Price Cty	457	91.9	0.2	1.3	0.7	3.7	1.8	0.4
Racine	1,527	15.3	37.0	40.9	0.4	0.9	4.9	0.7
Rusk Cty	443	86.2	2.0	2.9	0.0	0.2	7.9	0.7
Sauk Cty	1,237	79.5	1.8	16.6	0.6	0.2	1.2	0.1
Sawyer Cty	421	72.7	2.9	5.2	13.3	1.0	3.6	1.4
Seeds	3,188	19.7	4.0	67.3	0.7	1.2	7.1	0.0
Shawano	748	77.9	1.1	9.6	4.7	0.3	6.3	0.1
Sheboygan	2,166	46.5	2.4	28.5	0.0	17.7	4.7	0.2
St. Croix	1,055	80.5	2.2	8.8	0.4	3.1	4.4	0.7
SWCAP	1,257	88.6	0.4	8.3	0.2	0.2	2.0	0.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Page: 4
Run Date: 8 / 24 / 07

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Taylor Cty	438	87.7	0.0	8.0	0.0	0.0	4.1	0.2
Tremp	760	70.3	0.0	24.9	0.4	0.1	3.6	0.8
Vernon Cty	659	87.1	0.6	7.9	0.3	0.2	3.6	0.3
Vilas	221	86.4	1.4	8.1	2.3	0.0	1.4	0.5
Walworth C	1,895	43.1	1.0	51.4	1.2	0.6	2.7	0.1
Wash/Oz	1,777	73.8	2.6	15.0	0.3	0.5	7.3	0.4
Washburn C	419	88.5	0.0	4.3	0.7	1.0	5.0	0.5
Waukesha C	2,423	50.1	5.1	36.6	0.5	1.3	6.3	0.1
Waupaca Ct	787	85.5	0.1	11.2	0.1	0.3	2.3	0.5
Wee Care	7,627	3.9	83.6	3.6	0.1	5.2	3.0	0.7
West Allis	1,167	60.8	4.8	21.8	0.6	1.1	10.3	0.7
Winnebago	2,512	64.0	3.5	16.4	0.2	8.2	7.5	0.1
Wood Cty	1,422	80.4	2.0	8.5	0.6	5.2	2.6	0.8
Unknown Local Ag.	2,161	64.2	2.9	20.3	0.3	1.1	8.1	3.1
Wisconsin	121,673	45.1	18.6	24.2	2.0	4.5	5.1	0.5
Nation (Prior Year)	7,117,562	32.3	18.5	37.7	1.0	2.5	1.0	7.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 8 / 24 / 07

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
16th Stree	6,841	32.3	19.3	48.3
Aurora	3,899	47.8	16.0	36.2
Barron Cty	1,092	40.2	17.8	42.0
Bay Area	911	31.3	20.5	48.2
Buffalo	385	34.8	19.5	45.7
Burnett Ct	397	37.0	18.9	44.1
Calumet Ct	616	32.1	22.4	45.5
Chippewa	1,364	37.0	18.3	44.7
City Mad	3,782	35.5	22.8	41.7
Clark Cty	741	35.9	20.5	43.6
Columbia C	820	37.7	18.2	44.1
Dane Cty	2,849	37.5	21.7	40.8
Dodge Cty	1,230	37.6	19.3	43.1
Door Cty	453	33.3	21.6	45.0
Dunn Cty	984	36.3	17.7	46.0
Eau Claire	2,246	37.5	18.4	44.1
Family Hea	977	35.4	20.7	43.9
Family Pla	3,290	35.7	21.2	43.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 8 / 24 / 07

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Florence C	122	30.3	17.2	52.5
Fond du La	1,891	33.6	21.7	44.7
Forest Cty	257	33.9	14.4	51.8
GLITC	1,295	33.0	21.3	45.7
Grant Cty	1,124	34.6	20.6	44.8
Green Cty	648	39.0	22.1	38.9
Health	3,323	39.2	20.0	40.8
Jackson	553	36.3	17.5	46.1
Jefferson	1,746	37.1	19.9	43.0
Juneau	1,291	36.9	18.5	44.5
Kenosha Ct	3,972	38.4	20.2	41.4
Kewaunee C	299	36.5	17.1	46.5
La Crosse	2,264	35.5	19.4	45.1
Marinette	1,074	34.0	20.4	45.6
Menominee	563	33.9	20.2	45.8
Mil. City	8,320	33.2	22.1	44.7
MLK	3,152	35.2	20.7	44.1
Monitowoc	1,498	36.8	17.2	46.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 3
Run Date: 8 / 24 / 07

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Monroe Cty	957	39.7	20.3	40.0
NEW Comm	5,749	32.2	21.1	46.7
NHA	3,814	41.7	18.1	40.2
NWCSA	1,169	34.6	18.9	46.5
Oconto Cty	591	40.3	15.1	44.7
Oneida	517	31.7	22.2	46.0
Oneida Cty	573	42.6	18.8	38.6
Outagamie	2,559	33.0	21.9	45.1
Pierce Cty	703	34.1	19.1	46.8
Polk Cty	840	43.8	16.4	39.8
Portage Ct	1,165	40.3	16.5	43.3
Price Cty	457	30.6	18.2	51.2
Racine	1,527	36.4	17.3	46.3
Rusk Cty	443	31.8	16.0	52.1
Sauk Cty	1,237	39.6	16.7	43.7
Sawyer Cty	421	36.1	19.5	44.4
Seeds	3,188	31.6	23.3	45.1
Shawano	748	31.4	23.5	45.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 4
Run Date: 8 / 24 / 07

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Sheboygan	2,166	35.3	21.5	43.2
St. Croix	1,055	40.3	19.1	40.7
SWCAP	1,257	41.0	18.4	40.7
Taylor Cty	438	32.0	21.2	46.8
Trempealeau	760	36.2	18.3	45.5
Vernon Cty	659	34.0	20.3	45.7
Vilas	221	46.6	17.6	35.7
Walworth C	1,895	40.2	19.2	40.6
Wash/Oz	1,777	36.4	21.6	42.0
Washburn C	419	34.6	20.8	44.6
Waukesha C	2,423	43.1	18.0	38.9
Waupaca Ct	787	39.5	19.1	41.4
Wee Care	7,627	37.4	20.6	42.0
West Allis	1,167	41.5	19.5	39.1
Winnebago	2,512	40.1	17.9	42.0
Wood Cty	1,422	40.1	18.6	41.4
Unknown Local Ag.	2,161	43.3	19.8	36.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 5
Run Date: 8 / 24 / 07

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Wisconsin	121,673	36.7	19.9	43.3
Nation (Prior Year)	7,117,562	35.3	22.0	42.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)													
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
16th Stree	1,487	5.9 (9)	8.4 (32)	6,680	7.1 (68)	1.7 (4)	19.1 (69)	3,200	21.4 (66)	20.8 (65)		5,125	6.4 (34)
Aurora	1,458	8.4 (34)	4.7 (3)	3,829	4.4 (18)	7.3 (70)	8.9 (7)	1,399	12.8 (9)	10.8 (20)		2,199	29.6 (70)
Barron Cty	293	7.2 (23)	10.2 (49)	1,060	6.2 (54)	2.1 (10)	12.5 (43)	441	17.7 (46)	13.2 (41)		725	5.7 (27)
Bay Area	197	5.6 (6)	10.2 (49)	887	6.7 (62)	5.7 (67)	10.7 (21)	424	12.0 (8)	8.5 (6)		715	5.5 (26)
Buffalo	92	* *	* *	380	4.5 (21)	3.2 (29)	11.6 (33)	171	19.9 (62)	17.5 (60)		267	13.1 (62)
Burnett Ct	113	8.8 (38)	8.0 (27)	388	4.9 (23)	5.7 (67)	7.0 (1)	177	11.3 (5)	7.3 (4)		273	1.8 (1)
Calumet Ct	160	10.6 (57)	8.8 (38)	604	6.1 (51)	3.5 (38)	10.4 (16)	276	18.1 (50)	12.7 (36)		447	4.7 (21)
Chippewa	342	7.6 (27)	8.5 (33)	1,352	4.9 (23)	4.0 (46)	9.7 (11)	595	14.3 (13)	9.4 (12)		1,005	2.8 (5)
City Mad	1,017	8.6 (37)	7.7 (24)	3,673	5.6 (36)	2.5 (14)	13.9 (56)	1,567	13.7 (10)	10.5 (18)		2,666	11.6 (58)
Clark Cty	179	12.3 (61)	6.7 (13)	725	5.5 (34)	3.0 (23)	16.0 (65)	315	15.9 (29)	20.6 (64)		530	11.1 (56)
Columbia C	197	9.6 (47)	8.6 (35)	811	6.7 (62)	3.6 (39)	14.1 (58)	357	15.7 (27)	17.1 (59)		575	3.7 (14)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 2
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)													
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Dane Cty	754	7.3 (24)	9.5 (43)	2,757	5.4 (32)	3.2 (29)	10.6 (19)	1,148	15.4 (26)	12.3 (30)		1,990	8.2 (41)
Dodge Cty	309	9.4 (45)	7.4 (20)	1,193	4.4 (18)	5.1 (60)	8.9 (7)	526	11.0 (4)	8.6 (7)		846	5.9 (30)
Door Cty	110	1.8 (1)	8.2 (31)	448	3.3 (5)	3.1 (25)	8.7 (4)	210	18.6 (54)	12.4 (31)		333	4.5 (18)
Dunn Cty	221	7.7 (29)	8.6 (35)	964	6.2 (54)	4.7 (52)	12.7 (45)	446	14.6 (19)	14.3 (52)		684	3.4 (11)
Eau Claire	558	6.1 (11)	9.5 (43)	2,208	5.8 (41)	2.0 (9)	11.5 (30)	964	14.5 (15)	11.9 (27)		1,653	11.0 (55)
Family Hea	232	6.5 (14)	6.0 (9)	925	3.9 (9)	5.5 (63)	13.2 (52)	400	15.8 (28)	14.0 (49)		652	10.6 (53)
Family Pla	836	6.5 (14)	7.4 (20)	3,228	7.9 (71)	2.1 (10)	13.0 (48)	1,412	16.8 (39)	12.0 (28)		2,409	2.6 (4)
Florence C	23	* *	* *	117	6.8 (64)	1.7 (4)	10.3 (14)	61	* *	* *		90	* *
Fond du La	458	10.5 (54)	5.7 (6)	1,828	6.0 (48)	2.7 (16)	8.8 (6)	833	14.9 (22)	8.8 (8)		1,345	8.8 (44)
Forest Cty	58	* *	* *	251	5.6 (36)	3.6 (39)	13.1 (51)	124	15.3 (23)	11.3 (22)		194	5.2 (23)
GLITC	306	5.6 (6)	12.4 (61)	1,225	4.1 (10)	3.1 (25)	21.3 (70)	547	19.9 (62)	25.0 (69)		909	11.1 (56)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 3
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)													
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grant Cty	256	6.6 (16)	10.9 (58)	1,112	3.1 (3)	4.9 (58)	9.8 (12)	498	14.7 (20)	12.7 (36)		833	5.3 (24)
Green Cty	167	10.8 (58)	10.8 (57)	629	7.5 (70)	2.9 (20)	17.5 (66)	244	23.0 (67)	24.2 (68)		431	6.3 (33)
Health	928	8.4 (34)	6.9 (14)	3,234	6.8 (64)	2.4 (13)	14.8 (62)	1,330	17.7 (46)	15.6 (57)		2,226	6.2 (32)
Jackson	128	4.7 (2)	10.2 (49)	548	4.2 (14)	3.6 (39)	10.6 (19)	249	24.9 (69)	9.2 (11)		387	9.8 (52)
Jefferson	407	6.1 (11)	7.6 (23)	1,699	3.1 (3)	3.2 (29)	12.4 (41)	731	15.3 (23)	18.1 (62)		1,237	5.4 (25)
Juneau	311	9.6 (47)	8.0 (27)	1,264	5.8 (41)	3.2 (29)	14.0 (57)	567	18.7 (56)	12.5 (35)		903	7.4 (37)
Kenosha Ct	1,091	9.0 (41)	6.1 (10)	3,844	7.3 (69)	3.2 (29)	14.5 (60)	1,631	16.9 (40)	15.2 (56)		2,670	22.0 (67)
Kewaunee C	67	* *	* *	298	5.7 (40)	1.0 (2)	15.1 (63)	137	17.5 (45)	17.5 (60)		222	9.0 (47)
La Crosse	566	7.6 (27)	10.2 (49)	2,194	6.8 (64)	3.6 (39)	11.5 (30)	1,000	19.0 (58)	14.2 (51)		1,678	7.0 (36)
Marinette	242	6.2 (13)	10.3 (53)	1,042	5.1 (26)	3.7 (43)	11.0 (25)	478	9.2 (1)	8.2 (5)		800	2.5 (3)
Menominee	144	9.7 (50)	9.0 (40)	537	2.2 (1)	1.7 (4)	22.0 (71)	257	24.1 (68)	21.0 (66)		401	3.0 (9)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 4
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)													
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Mil. City	2,050	11.2 (59)	5.8 (8)	8,078	5.2 (29)	5.5 (63)	11.1 (27)	3,651	16.2 (32)	11.6 (25)		6,055	14.5 (65)
MLK	761	12.5 (62)	3.8 (1)	3,062	6.3 (57)	5.6 (65)	10.7 (21)	1,364	13.9 (11)	8.9 (9)		2,272	23.2 (69)
Monitowoc	327	8.0 (33)	8.0 (27)	1,466	5.8 (41)	1.8 (7)	13.0 (48)	661	19.4 (60)	14.7 (54)		1,079	10.7 (54)
Monroe Cty	257	7.8 (32)	7.0 (16)	928	6.6 (61)	3.2 (29)	15.1 (63)	386	14.8 (21)	12.4 (31)		643	2.8 (5)
NEW Comm	1,394	7.7 (29)	7.9 (26)	5,587	5.1 (26)	4.8 (56)	11.9 (37)	2,625	14.5 (15)	12.0 (28)		4,219	5.8 (28)
NHA	1,077	10.4 (53)	8.6 (35)	3,673	6.3 (57)	3.3 (36)	12.9 (47)	1,476	16.6 (37)	12.4 (31)		2,479	9.0 (47)
NWCSA	250	5.2 (3)	9.6 (45)	1,159	4.1 (10)	4.3 (48)	11.6 (33)	540	18.1 (50)	13.7 (46)		797	13.0 (61)
Oconto Cty	153	8.5 (36)	5.2 (4)	578	6.1 (51)	4.2 (47)	18.7 (68)	260	18.8 (57)	19.6 (63)		412	7.8 (39)
Oneida	128	5.5 (4)	18.0 (63)	508	3.7 (7)	0.8 (1)	17.5 (66)	230	17.0 (42)	21.3 (67)		371	2.2 (2)
Oneida Cty	143	9.1 (42)	7.0 (16)	568	4.6 (22)	4.8 (56)	7.9 (2)	225	16.0 (30)	7.1 (2)		401	8.2 (41)
Outagamie	656	10.5 (54)	7.3 (19)	2,447	6.4 (60)	4.9 (58)	12.3 (40)	1,145	18.3 (53)	15.0 (55)		1,670	9.1 (49)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 5
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)													
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pierce Cty	160	5.6 (6)	5.6 (5)	690	5.5 (34)	2.6 (15)	11.0 (25)	326	16.6 (37)	11.3 (22)		515	9.7 (51)
Polk Cty	247	8.9 (40)	5.7 (6)	823	4.3 (16)	4.7 (52)	8.0 (3)	332	18.1 (50)	6.6 (1)		566	8.8 (44)
Portage Ct	297	6.7 (18)	10.1 (48)	1,142	6.3 (57)	3.1 (25)	11.7 (36)	483	15.3 (23)	13.0 (40)		799	4.6 (19)
Price Cty	81	* *	* *	450	3.8 (8)	2.9 (20)	10.4 (16)	225	14.2 (12)	10.7 (19)		361	3.6 (12)
Racine	378	7.4 (25)	6.3 (11)	1,486	4.4 (18)	3.2 (29)	12.4 (41)	674	14.4 (14)	11.6 (25)		1,101	14.8 (66)
Rusk Cty	88	* *	* *	434	5.3 (30)	1.6 (3)	12.7 (45)	224	16.5 (36)	13.4 (42)		343	4.4 (16)
Sauk Cty	301	6.6 (16)	10.0 (47)	1,207	6.0 (48)	2.3 (12)	12.1 (38)	530	19.2 (59)	13.8 (47)		863	8.8 (44)
Sawyer Cty	100	6.0 (10)	12.0 (59)	414	4.3 (16)	4.3 (48)	8.7 (4)	177	19.8 (61)	9.6 (13)		309	3.6 (12)
Seeds	810	6.9 (19)	8.5 (33)	3,126	3.6 (6)	4.6 (50)	10.3 (14)	1,421	17.7 (46)	14.1 (50)		2,307	14.4 (63)
Shawano	184	9.8 (51)	9.8 (46)	725	4.1 (10)	5.2 (61)	12.1 (38)	320	10.9 (3)	7.2 (3)		547	5.1 (22)
Sheboygan	557	7.0 (20)	6.6 (12)	2,119	5.6 (36)	5.6 (65)	10.8 (23)	931	16.3 (33)	12.4 (31)		1,552	4.4 (16)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 6
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by Local Agency (3,4)													
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
St. Croix	282	9.6 (47)	10.6 (55)	1,026	6.1 (51)	2.7 (16)	11.3 (28)	414	17.9 (49)	10.4 (16)		719	2.8 (5)
SWCAP	330	5.5 (4)	10.6 (55)	1,232	5.0 (25)	3.0 (23)	13.2 (52)	494	21.1 (65)	13.6 (44)		861	9.4 (50)
Taylor Cty	89	* *	* *	430	2.3 (2)	5.3 (62)	10.9 (24)	203	11.3 (5)	12.8 (39)		343	3.2 (10)
Tremp	182	7.1 (22)	12.1 (60)	728	5.4 (32)	7.3 (70)	14.4 (59)	337	20.5 (64)	13.9 (48)		519	11.9 (59)
Vernon Cty	129	11.6 (60)	16.3 (62)	651	5.1 (26)	3.7 (43)	13.5 (55)	293	17.4 (44)	16.0 (58)		485	5.8 (28)
Vilas	71	* *	* *	216	4.2 (14)	1.9 (8)	12.5 (43)	77	* *	* *		130	4.6 (19)
Walworth C	487	8.8 (38)	8.0 (27)	1,850	5.9 (45)	3.1 (25)	11.5 (30)	756	17.1 (43)	14.3 (52)		1,269	7.6 (38)
Wash/Oz	485	9.3 (44)	7.0 (16)	1,724	6.2 (54)	4.6 (50)	11.3 (28)	723	16.0 (30)	9.1 (10)		1,236	7.9 (40)
Washburn C	105	10.5 (54)	10.5 (54)	410	5.6 (36)	6.1 (69)	10.0 (13)	190	11.6 (7)	10.0 (14)		281	2.8 (5)
Waukesha C	676	7.7 (29)	7.5 (22)	2,378	5.8 (41)	2.8 (19)	13.3 (54)	931	16.9 (40)	13.6 (44)		1,569	6.1 (31)
Waupaca Ct	218	9.2 (43)	6.9 (14)	772	4.1 (10)	3.4 (37)	13.0 (48)	324	10.5 (2)	12.7 (36)		516	4.1 (15)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 7
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)												
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Wee Care	1,930	12.9 (63)	4.3 (2)	7,431	6.8 (64)	3.9 (45)	10.4 (16)	3,140	14.5 (15)	10.3 (15)	5,154	22.7 (68)
West Allis	334	7.5 (26)	9.3 (41)	1,151	5.3 (30)	4.7 (52)	9.2 (9)	451	18.6 (54)	10.4 (16)	751	12.0 (60)
Winnebago	626	10.2 (52)	7.8 (25)	2,465	6.0 (48)	2.9 (20)	14.6 (61)	1,040	16.3 (33)	13.4 (42)	1,752	14.4 (63)
Wood Cty	371	7.0 (20)	9.4 (42)	1,378	5.9 (45)	2.7 (16)	11.6 (33)	581	16.4 (35)	11.4 (24)	945	6.8 (35)
Unknown Local Ag.	618	9.4 (45)	8.9 (39)	2,102	5.9 (45)	4.7 (52)	9.6 (10)	792	14.5 (15)	10.9 (21)	1,434	8.6 (43)
Wisconsin	31,039	8.6	7.6	118,548	5.7	3.8	12.4	51,667	16.3	13.0	85,045	10.4
Nation (Prior Year)	1,641,264	9.4	6.6	6,709,486	6.4	4.8	13.9	2,869,075	16.1	14.7	4,381,087	13.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2006 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 1
Run Date: 8 / 24 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
16th Stree	1,496	84.6 (1)	760	45.8 (1)	1,095	25.4 (2)	515	12.0 (17)	621	8.4 (10)	3,490	80.9 (44)	6,681	7.7 (7)
Aurora	1,417	39.7 (63)	331	15.7 (40)	495	8.1 (47)	230	5.2 (27)	271	1.8 (30)	1,514	85.7 (18)	3,834	19.2 (59)
Barron Cty	301	64.5 (36)	115	24.3 (21)	153	9.2 (43)	79	* *	79	* *	483	82.2 (32)	1,042	9.1 (15)
Bay Area	198	68.7 (23)	104	33.7 (6)	120	27.5 (1)	60	* *	78	* *	474	85.9 (17)	891	12.1 (34)
Buffalo	90	* *	29	* *	48	* *	22	* *	18	* *	187	82.9 (29)	376	9.8 (23)
Burnett Ct	113	77.0 (3)	36	* *	55	* *	27	* *	23	* *	185	94.6 (1)	384	18.0 (53)
Calumet Ct	161	62.7 (40)	53	* *	86	* *	41	* *	42	* *	297	82.5 (31)	608	9.9 (24)
Chippewa	341	65.7 (30)	132	22.7 (26)	180	9.4 (40)	74	* *	92	* *	642	86.1 (15)	1,353	11.2 (28)
City Mad	1,011	76.1 (4)	426	45.8 (1)	578	24.2 (3)	287	13.2 (14)	323	14.6 (2)	1,682	88.5 (9)	3,717	8.4 (12)
Clark Cty	179	68.7 (23)	91	* *	111	6.3 (50)	67	* *	80	* *	347	83.9 (26)	734	12.3 (36)
Columbia C	197	68.5 (25)	98	* *	103	8.7 (44)	75	* *	65	* *	381	81.1 (41)	815	13.0 (39)
Dane Cty	756	72.8 (8)	321	40.8 (3)	416	21.2 (5)	238	15.1 (8)	229	10.5 (4)	1,234	78.1 (51)	2,801	7.7 (7)
Dodge Cty	317	70.7 (13)	134	31.3 (9)	146	17.1 (8)	113	24.8 (1)	106	17.9 (1)	557	85.5 (20)	1,208	9.1 (15)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2006 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 2
Run Date: 8 / 24 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Door Cty	109	65.1 (34)	43	* *	79	* *	31	* *	36	* *	220	83.6 (27)	445	10.6 (26)
Dunn Cty	224	68.8 (22)	100	23.0 (24)	123	10.6 (34)	73	* *	77	* *	479	76.0 (59)	956	7.5 (5)
Eau Claire	562	69.0 (20)	232	24.1 (22)	353	7.6 (48)	168	14.9 (9)	193	7.3 (14)	1,034	81.3 (38)	2,195	9.7 (18)
Family Hea	237	62.9 (39)	98	* *	121	18.2 (6)	49	* *	60	* *	434	73.3 (64)	912	12.7 (38)
Family Pla	833	53.7 (57)	363	17.6 (38)	449	10.9 (33)	234	14.1 (13)	233	5.2 (25)	1,524	80.1 (46)	3,264	13.6 (45)
Florence C	23	* *	12	* *	16	* *	8	* *	9	* *	63	* *	118	17.8 (52)
Fond du La	457	66.7 (29)	198	28.8 (15)	295	11.5 (29)	137	21.2 (3)	160	10.0 (6)	903	84.6 (23)	1,853	13.3 (42)
Forest Cty	58	* *	22	* *	28	* *	18	* *	18	* *	144	72.9 (67)	254	24.8 (68)
GLITC	303	60.1 (47)	117	22.2 (29)	197	11.2 (32)	73	* *	85	* *	620	81.3 (38)	1,251	18.9 (58)
Grant Cty	255	59.2 (48)	124	26.6 (17)	163	12.9 (23)	53	* *	70	* *	542	89.1 (6)	1,113	10.3 (25)
Green Cty	170	56.5 (54)	71	* *	104	14.4 (17)	47	* *	62	* *	276	87.0 (14)	628	19.3 (60)
Health	932	58.4 (51)	330	23.0 (24)	433	11.3 (31)	225	10.2 (20)	262	5.7 (20)	1,433	75.2 (60)	3,214	11.9 (32)
Jackson	128	69.5 (17)	68	* *	81	* *	31	* *	38	* *	269	88.1 (13)	547	13.5 (44)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2006 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 3
Run Date: 8 / 24 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Jefferson	408	69.6 (15)	261	26.1 (19)	246	15.4 (12)	172	9.9 (21)	197	10.2 (5)	804	83.5 (28)	1,708	11.2 (28)
Juneau	309	65.4 (32)	160	23.1 (23)	171	10.5 (35)	102	14.7 (10)	138	8.7 (9)	608	84.7 (22)	1,257	25.4 (69)
Kenosha Ct	1,096	56.3 (55)	360	20.8 (34)	549	8.7 (44)	271	10.7 (18)	268	6.7 (15)	1,744	81.3 (38)	3,845	18.4 (57)
Kewaunee C	67	* *	31	* *	40	* *	19	* *	22	* *	152	74.3 (61)	299	9.7 (18)
La Crosse	561	71.5 (10)	241	32.4 (7)	295	13.9 (20)	157	15.3 (7)	167	9.0 (8)	1,089	84.8 (21)	2,246	5.3 (2)
Marinette	239	47.7 (61)	104	22.1 (30)	166	9.6 (38)	67	* *	86	* *	520	84.4 (25)	1,058	19.4 (61)
Menominee	143	65.7 (30)	55	* *	82	* *	27	* *	42	* *	275	89.1 (6)	538	14.1 (47)
Mil. City	2,068	46.8 (62)	805	17.1 (39)	1,268	9.6 (38)	463	5.8 (26)	503	3.2 (28)	3,917	66.4 (69)	8,181	20.4 (65)
MLK	766	53.7 (57)	309	14.6 (42)	469	8.3 (46)	177	7.9 (24)	182	1.1 (31)	1,452	67.1 (68)	3,027	31.0 (70)
Monitowoc	328	60.4 (43)	146	22.6 (27)	219	13.2 (22)	97	* *	126	5.6 (21)	719	73.2 (65)	1,454	19.7 (62)
Monroe Cty	270	69.3 (19)	90	* *	137	11.7 (25)	63	* *	66	* *	411	81.0 (42)	927	12.5 (37)
NEW Comm	1,402	62.6 (41)	579	26.6 (17)	894	15.7 (11)	374	10.4 (19)	424	5.4 (23)	2,841	78.4 (49)	5,678	8.8 (13)
NHA	1,080	54.7 (56)	408	20.6 (35)	547	11.7 (25)	236	9.3 (23)	258	4.3 (27)	1,591	88.5 (9)	3,733	13.2 (40)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2006 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 4
Run Date: 8 / 24 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
NWCSA	249	67.5 (27)	117	29.9 (12)	159	13.8 (21)	85	* * *	99	* * *	575	92.2 (2)	1,156	13.7 (46)
Oconto Cty	151	49.0 (60)	57	* * *	68	* * *	49	* * *	48	* * *	277	76.2 (58)	584	20.2 (64)
Oneida	127	66.9 (28)	41	* * *	86	* * *	29	* * *	28	* * *	253	77.1 (57)	517	16.4 (51)
Oneida Cty	143	61.5 (42)	63	* * *	85	* * *	47	* * *	54	* * *	237	91.6 (3)	572	8.2 (11)
Outagamie	665	65.1 (34)	226	24.8 (20)	364	9.9 (37)	191	16.2 (6)	186	5.9 (18)	1,217	77.2 (56)	2,510	8.8 (13)
Pierce Cty	160	63.1 (38)	63	* * *	90	* * *	50	* * *	47	* * *	346	88.4 (12)	679	9.7 (18)
Polk Cty	248	73.8 (6)	98	* * *	115	14.8 (15)	69	* * *	74	* * *	349	78.8 (48)	828	13.2 (40)
Portage Ct	297	60.3 (44)	107	36.4 (4)	124	21.8 (4)	84	* * *	79	* * *	535	88.6 (8)	1,150	4.8 (1)
Price Cty	81	* * *	46	* * *	60	* * *	18	* * *	28	* * *	247	82.2 (32)	453	15.5 (48)
Racine	379	50.1 (59)	146	19.9 (37)	203	12.3 (24)	86	* * *	86	* * *	731	73.7 (62)	1,498	13.4 (43)
Rusk Cty	88	* * *	41	* * *	46	* * *	23	* * *	31	* * *	243	86.0 (16)	438	18.3 (55)
Sauk Cty	300	74.7 (5)	148	31.8 (8)	160	16.3 (10)	119	21.0 (4)	119	9.2 (7)	572	91.6 (3)	1,222	47.4 (71)
Sawyer Cty	100	68.0 (26)	44	* * *	48	* * *	27	* * *	31	* * *	197	77.7 (53)	411	12.2 (35)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2006 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 5
Run Date: 8 / 24 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Seeds	812	73.4 (7)	300	28.3 (16)	512	11.7 (25)	192	9.9 (21)	233	4.7 (26)	1,537	81.7 (35)	3,160	9.7 (18)
Shawano	184	58.2 (52)	77	* *	132	14.4 (17)	43	* *	62	* *	350	85.7 (18)	746	11.9 (32)
Sheboygan	557	63.2 (37)	238	30.3 (11)	355	14.4 (17)	175	12.6 (15)	201	5.5 (22)	998	77.7 (53)	2,157	11.0 (27)
St. Croix	284	71.5 (10)	123	30.9 (10)	149	14.8 (15)	99	* *	101	5.9 (18)	445	73.0 (66)	1,016	7.6 (6)
SWCAP	331	69.8 (14)	149	22.1 (30)	170	16.5 (9)	91	* *	121	10.7 (3)	542	81.0 (42)	1,238	9.7 (18)
Taylor Cty	87	* *	43	* *	65	* *	16	* *	28	* *	216	81.9 (34)	438	23.7 (67)
Trempe	180	69.4 (18)	80	* *	89	* *	50	* *	61	* *	362	90.6 (5)	748	6.7 (3)
Vernon Cty	129	69.0 (20)	71	* *	92	* *	44	* *	50	* *	323	88.5 (9)	647	7.9 (10)
Vilas	70	* *	22	* *	26	* *	14	* *	18	* *	89	* *	219	15.5 (48)
Walworth C	490	77.6 (2)	234	34.6 (5)	259	15.1 (13)	176	23.3 (2)	200	6.0 (17)	810	81.5 (36)	1,854	6.8 (4)
Wash/Oz	484	71.3 (12)	176	29.5 (13)	297	11.4 (30)	141	17.0 (5)	160	7.5 (12)	791	81.4 (37)	1,729	11.3 (30)
Washburn C	105	72.4 (9)	48	* *	56	* *	33	* *	39	* *	201	84.6 (23)	411	7.8 (9)
Waukesha C	677	69.6 (15)	309	29.4 (14)	318	17.6 (7)	238	14.7 (10)	264	8.0 (11)	1,002	80.2 (45)	2,379	9.3 (17)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2006 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 6
Run Date: 8 / 24 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Waupaca Ct	217	59.0 (49)	82	* *	100	10.0 (36)	51	* *	63	* *	346	82.9 (29)	767	19.7 (62)
Wee Care	1,919	58.7 (50)	839	14.7 (41)	1,107	6.8 (49)	425	6.4 (25)	588	2.6 (29)	3,394	77.5 (55)	7,520	18.1 (54)
West Allis	330	65.2 (33)	114	20.2 (36)	180	11.7 (25)	80	* *	79	* *	489	73.6 (63)	1,139	18.3 (55)
Winnebago	629	60.3 (44)	284	22.5 (28)	333	9.3 (42)	201	12.4 (16)	226	5.3 (24)	1,115	79.8 (47)	2,461	16.1 (50)
Wood Cty	372	56.7 (53)	152	21.1 (33)	199	15.1 (13)	97	* *	107	7.5 (12)	625	78.4 (49)	1,382	11.7 (31)
Unknown Local Ag.	621	60.2 (46)	231	22.1 (30)	309	9.4 (40)	153	14.4 (12)	159	6.3 (16)	862	77.8 (52)	2,112	21.1 (66)
Wisconsin	31,071	62.6	12,726	26.0	17,467	13.2	8,396	13.7	9,479	7.0	55,813	80.1	119,286	13.9
Nation (Prior Year)	1,515,954	58.5	751,259	24.3	869,342	17.7	101,887	13.6	136,891	6.8	343,170	64.7	1,120,034	16.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)															
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)				
	Low		High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
16th Stree	4,372	5.9 (5)	8.8 (38)		19,647	5.8 (50)	3.8 (39)	17.6 (69)		9,689	19.5 (65)	18.9 (66)		14,561	7.7 (33)
Aurora	3,935	8.6 (49)	5.5 (5)		10,949	4.4 (14)	8.1 (70)	8.4 (2)		4,397	13.0 (8)	10.1 (12)		6,573	26.0 (69)
Barron Cty	757	7.3 (20)	9.9 (51)		3,089	6.0 (57)	2.3 (8)	11.9 (34)		1,374	17.7 (50)	13.5 (44)		2,145	6.2 (22)
Bay Area	615	5.2 (2)	13.3 (67)		2,761	5.1 (31)	5.8 (65)	10.4 (12)		1,340	8.9 (1)	8.9 (4)		2,103	6.9 (24)
Buffalo	269	6.3 (13)	6.3 (8)		1,129	4.7 (22)	4.6 (54)	12.0 (36)		522	18.4 (57)	15.9 (60)		760	7.2 (26)
Burnett Ct	276	9.1 (57)	9.8 (50)		1,136	4.8 (24)	4.5 (51)	8.5 (3)		562	12.8 (7)	10.1 (12)		783	2.3 (1)
Calumet Ct	434	9.4 (61)	9.2 (43)		1,757	5.5 (38)	3.1 (24)	12.5 (41)		803	18.2 (52)	16.1 (63)		1,270	4.6 (10)
Chippewa	982	7.3 (20)	8.5 (33)		4,051	4.4 (14)	4.3 (49)	9.8 (9)		1,930	14.6 (16)	9.9 (9)		2,883	4.5 (9)
City Mad	1,922	8.0 (33)	7.8 (18)		6,826	5.8 (50)	2.5 (10)	14.5 (60)		2,910	13.3 (9)	11.5 (23)		4,826	11.7 (53)
Clark Cty	548	7.8 (27)	10.6 (62)		2,102	5.7 (46)	3.4 (35)	15.6 (65)		910	19.0 (61)	20.7 (68)		1,423	14.0 (61)
Columbia C	576	8.3 (42)	9.9 (51)		2,247	5.6 (43)	3.3 (29)	12.5 (41)		991	17.5 (46)	15.5 (59)		1,537	7.2 (26)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2004 - 2006 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)													
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Dane Cty	1,352	8.0 (33)	9.6 (46)	5,045	4.9 (25)	2.8 (13)	11.2 (21)	2,117	16.2 (31)	12.4 (31)		3,593	9.7 (42)
Dodge Cty	957	8.5 (47)	6.1 (6)	3,804	4.2 (11)	5.5 (64)	8.9 (5)	1,719	11.3 (4)	9.5 (8)		2,802	5.1 (15)
Door Cty	315	5.7 (4)	7.9 (20)	1,307	5.0 (29)	4.4 (50)	11.1 (19)	616	20.3 (67)	13.8 (45)		928	4.4 (8)
Dunn Cty	649	6.6 (14)	8.8 (38)	2,691	5.5 (38)	4.1 (44)	12.7 (45)	1,259	16.8 (41)	15.3 (57)		1,860	4.6 (10)
Eau Claire	1,521	8.0 (33)	8.5 (33)	6,187	6.2 (60)	2.1 (6)	11.2 (21)	2,833	15.6 (28)	12.8 (34)		4,447	15.2 (64)
Family Hea	693	8.2 (39)	7.5 (14)	2,773	4.5 (17)	5.1 (58)	11.9 (34)	1,220	14.7 (18)	11.2 (18)		1,939	13.5 (60)
Family Pla	2,399	8.3 (42)	8.3 (29)	9,529	7.5 (69)	2.0 (4)	12.9 (48)	4,240	16.7 (39)	12.1 (27)		6,761	2.6 (3)
Florence C	63	* *	* *	335	5.1 (31)	1.5 (2)	14.6 (61)	181	12.2 (6)	14.4 (51)		253	9.9 (46)
Fond du La	1,317	9.1 (57)	6.9 (11)	5,274	5.9 (55)	3.0 (19)	8.7 (4)	2,465	15.1 (21)	8.5 (2)		3,731	8.5 (39)
Forest Cty	174	10.3 (65)	8.0 (23)	777	4.5 (17)	3.6 (37)	13.4 (54)	397	15.4 (25)	12.3 (30)		577	4.2 (7)
GLITC	788	6.0 (9)	15.6 (69)	3,319	3.9 (8)	3.3 (29)	20.9 (70)	1,557	21.8 (70)	22.7 (71)		2,301	10.9 (50)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 3
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)														
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)			
	Low		High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grant Cty	791	6.1 (10)	10.9 (64)		3,468	3.9 (8)	4.8 (56)	10.7 (14)		1,578	16.2 (31)	13.8 (45)	2,479	5.0 (14)
Green Cty	503	9.5 (62)	9.7 (48)		1,775	7.7 (70)	2.9 (15)	17.1 (67)		692	18.5 (58)	20.8 (69)	1,147	9.8 (44)
Health	2,932	8.4 (45)	7.9 (20)		10,899	6.0 (57)	3.0 (19)	14.1 (59)		4,869	17.2 (42)	14.3 (50)	7,477	10.6 (48)
Jackson	353	8.8 (51)	8.8 (38)		1,622	4.9 (25)	3.9 (41)	11.0 (17)		772	19.2 (63)	11.0 (16)	1,168	7.4 (29)
Jefferson	1,204	6.1 (10)	8.1 (26)		4,872	3.8 (6)	4.2 (47)	11.5 (26)		2,118	16.6 (37)	14.8 (55)	3,407	7.1 (25)
Juneau	895	8.6 (49)	8.0 (23)		3,722	5.6 (43)	3.1 (24)	13.2 (51)		1,709	17.3 (43)	12.8 (34)	2,605	8.1 (38)
Kenosha Ct	2,944	8.9 (53)	7.3 (13)		10,774	7.7 (70)	2.3 (8)	15.1 (63)		4,736	18.0 (51)	15.9 (60)	7,387	16.9 (65)
Kewaunee C	196	7.1 (18)	11.7 (66)		928	5.8 (50)	0.6 (1)	15.2 (64)		434	21.2 (69)	15.2 (56)	682	9.8 (44)
La Crosse	1,625	8.4 (45)	8.6 (35)		6,353	6.8 (65)	3.9 (41)	11.0 (17)		2,837	18.2 (52)	14.1 (48)	4,397	9.6 (41)
Marinette	670	6.6 (14)	9.3 (44)		3,003	5.6 (43)	3.6 (37)	11.5 (26)		1,424	10.9 (3)	8.7 (3)	2,157	2.4 (2)
Menominee	296	9.1 (57)	10.1 (57)		1,220	1.9 (1)	1.6 (3)	21.7 (71)		602	23.4 (71)	22.3 (70)	891	2.9 (4)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2004 - 2006 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)															
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)				
	Low		High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Mil. City	6,034	11.4 (66)	6.1 (6)		24,240	5.0 (29)	6.0 (67)	11.6 (31)		11,313	16.7 (39)	12.9 (37)		17,288	17.6 (68)
MLK	2,138	12.5 (69)	4.5 (2)		8,709	5.2 (33)	7.9 (69)	10.4 (12)		4,078	11.8 (5)	7.9 (1)		6,241	29.0 (71)
Monitowoc	1,053	8.0 (33)	8.2 (28)		4,251	6.1 (59)	2.6 (12)	13.2 (51)		1,939	19.0 (61)	14.6 (52)		2,991	17.1 (66)
Monroe Cty	707	7.9 (31)	9.6 (46)		2,615	7.0 (67)	2.9 (15)	14.6 (61)		1,125	15.3 (23)	13.2 (41)		1,728	6.0 (20)
NEW Comm	3,864	8.5 (47)	8.4 (32)		16,009	5.4 (36)	5.2 (60)	12.1 (37)		7,564	14.9 (20)	12.8 (34)		11,667	7.7 (33)
NHA	3,011	9.7 (64)	8.6 (35)		10,527	5.7 (46)	4.5 (51)	12.3 (38)		4,366	14.4 (14)	11.7 (24)		7,066	10.8 (49)
NWCSA	768	5.9 (5)	10.3 (58)		3,457	4.6 (21)	5.4 (63)	11.1 (19)		1,649	18.3 (55)	13.0 (40)		2,447	15.1 (63)
Oconto Cty	429	11.4 (66)	6.8 (9)		1,675	6.3 (61)	3.4 (35)	17.3 (68)		768	18.6 (59)	16.7 (64)		1,162	11.9 (55)
Oneida	374	5.6 (3)	16.6 (70)		1,437	4.7 (22)	2.0 (4)	16.7 (66)		653	19.8 (66)	19.3 (67)		993	3.1 (5)
Oneida Cty	450	12.2 (68)	7.1 (12)		1,683	4.3 (13)	4.9 (57)	7.7 (1)		722	18.8 (60)	8.9 (4)		1,151	10.4 (47)
Outagamie	1,828	8.8 (51)	7.9 (20)		6,897	6.4 (62)	4.5 (51)	13.3 (53)		3,199	18.2 (52)	15.9 (60)		4,773	7.6 (32)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2004 - 2006 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 5
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)															
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)				
	Low		High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pierce Cty	435	7.4 (24)	10.3 (58)		1,938	5.7 (46)	3.3 (29)	12.8 (46)		911	17.5 (46)	12.1 (27)		1,398	13.0 (58)
Polk Cty	666	9.0 (56)	5.3 (4)		2,471	5.9 (55)	4.0 (43)	9.3 (6)		1,072	14.6 (16)	9.2 (6)		1,604	13.2 (59)
Portage Ct	801	5.9 (5)	10.6 (62)		3,311	6.6 (63)	3.3 (29)	11.4 (25)		1,460	15.9 (30)	12.9 (37)		2,318	8.0 (37)
Price Cty	253	5.9 (5)	9.5 (45)		1,291	3.5 (2)	2.9 (15)	11.5 (26)		662	16.2 (31)	10.6 (15)		985	4.6 (10)
Racine	650	7.8 (27)	7.7 (16)		2,575	4.5 (17)	3.1 (24)	12.3 (38)		1,162	14.5 (15)	11.7 (24)		1,897	17.3 (67)
Rusk Cty	291	7.9 (31)	10.0 (54)		1,403	4.5 (17)	2.9 (15)	11.8 (33)		708	16.4 (35)	11.3 (20)		1,064	5.3 (18)
Sauk Cty	826	7.5 (25)	8.7 (37)		3,375	5.5 (38)	2.8 (13)	12.6 (44)		1,496	19.3 (64)	13.4 (43)		2,332	7.9 (36)
Sawyer Cty	260	6.2 (12)	10.0 (54)		1,176	3.7 (4)	4.1 (44)	9.6 (8)		550	15.5 (27)	9.3 (7)		861	6.5 (23)
Seeds	2,235	7.0 (17)	9.1 (42)		8,805	3.8 (6)	4.1 (44)	11.5 (26)		4,136	18.3 (55)	14.1 (48)		6,208	12.0 (56)
Shawano	535	7.3 (20)	9.7 (48)		2,257	4.0 (10)	3.0 (19)	12.5 (41)		1,072	13.5 (11)	10.5 (14)		1,577	7.4 (29)
Sheboygan	1,612	6.9 (16)	6.8 (9)		5,839	5.7 (46)	6.8 (68)	10.7 (14)		2,591	17.3 (43)	12.5 (32)		4,054	9.7 (42)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 6
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)														
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)			
	Low		High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
St. Croix	759	9.1 (57)	10.5 (61)		2,838	7.0 (67)	2.5 (10)	11.7 (32)		1,225	17.4 (45)	12.1 (27)	1,952	5.2 (16)
SWCAP	929	8.0 (33)	9.9 (51)		3,481	5.8 (50)	3.2 (28)	14.0 (57)		1,464	20.6 (68)	15.4 (58)	2,386	11.3 (51)
Taylor Cty	282	4.3 (1)	10.3 (58)		1,245	3.5 (2)	5.9 (66)	10.0 (11)		585	10.4 (2)	11.3 (20)	890	4.9 (13)
Tremp	507	7.3 (20)	11.2 (65)		1,993	4.4 (14)	8.3 (71)	11.2 (21)		926	15.4 (25)	10.0 (11)	1,399	11.7 (53)
Vernon Cty	430	9.5 (62)	13.7 (68)		1,882	6.7 (64)	4.2 (47)	13.1 (50)		862	16.6 (37)	14.6 (52)	1,267	5.2 (16)
Vilas	168	7.1 (18)	4.2 (1)		599	3.7 (4)	2.2 (7)	13.0 (49)		240	15.8 (29)	14.6 (52)	361	5.5 (19)
Walworth C	1,376	7.8 (27)	8.1 (26)		5,237	5.5 (38)	3.1 (24)	14.0 (57)		2,228	17.5 (46)	17.0 (65)	3,556	7.4 (29)
Wash/Oz	1,343	7.7 (26)	8.0 (23)		4,994	4.9 (25)	5.1 (58)	10.8 (16)		2,159	15.2 (22)	11.0 (16)	3,487	9.1 (40)
Washburn C	278	8.3 (42)	8.3 (29)		1,155	5.3 (34)	5.3 (62)	11.3 (24)		539	13.4 (10)	11.3 (20)	778	3.5 (6)
Waukesha C	2,001	8.0 (33)	7.8 (18)		7,076	5.4 (36)	3.0 (19)	12.8 (46)		2,939	17.6 (49)	13.9 (47)	4,709	6.0 (20)
Waupaca Ct	596	8.2 (39)	7.7 (16)		2,347	4.2 (11)	3.3 (29)	13.8 (55)		1,054	13.6 (12)	12.9 (37)	1,609	7.8 (35)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 7
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)														
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)			
	Low		High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Wee Care	5,706	12.8 (70)	5.0 (3)		21,775	6.8 (65)	4.7 (55)	9.8 (9)		9,526	14.1 (13)	9.9 (9)	15,028	26.6 (70)
West Allis	919	8.2 (39)	10.0 (54)		3,241	4.9 (25)	5.2 (60)	9.5 (7)		1,383	16.5 (36)	11.2 (18)	2,127	11.4 (52)
Winnebago	1,861	8.9 (53)	7.6 (15)		7,141	5.8 (50)	3.3 (29)	13.9 (56)		3,079	15.3 (23)	12.6 (33)	4,986	15.0 (62)
Wood Cty	1,088	7.8 (27)	8.9 (41)		3,997	5.5 (38)	3.0 (19)	11.5 (26)		1,786	14.7 (18)	11.7 (24)	2,743	7.3 (28)
Unknown Local Ag.	4,251	8.9 (53)	8.3 (29)		14,263	5.3 (34)	3.8 (39)	12.3 (38)		5,908	16.2 (31)	13.3 (42)	9,401	12.0 (56)
Wisconsin	89,037	8.6	8.0		344,576	5.5	4.2	12.3		154,902	16.2	13.1	240,337	11.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 1
Run Date: 8 / 24 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
16th Stree	4,722	81.3 (1)	3,225	44.5 (1)	3,506	26.0 (3)	2,289	13.1 (31)	2,315	7.9 (18)	4,582	80.7 (37)	8,371	11.5 (1)
Aurora	3,646	38.6 (70)	1,849	13.5 (70)	1,944	9.6 (67)	1,236	2.3 (65)	1,234	0.8 (64)	1,844	85.0 (18)	5,070	26.1 (52)
Barron Cty	878	63.7 (32)	568	21.5 (52)	579	13.0 (47)	319	11.0 (44)	307	3.6 (56)	622	82.0 (30)	1,373	21.4 (24)
Bay Area	650	68.0 (18)	472	34.1 (6)	480	22.3 (5)	261	26.1 (3)	266	18.4 (1)	604	84.3 (21)	1,163	24.2 (44)
Buffalo	253	80.2 (2)	157	40.1 (2)	164	28.0 (2)	63	* *	60	* *	225	80.9 (34)	491	18.1 (13)
Burnett Ct	284	66.5 (25)	164	22.0 (48)	175	9.7 (65)	104	27.9 (1)	92	* *	247	92.7 (1)	501	29.3 (65)
Calumet Ct	485	56.7 (55)	308	20.1 (59)	330	12.4 (49)	181	10.5 (45)	173	4.0 (53)	364	80.8 (36)	783	16.5 (7)
Chippewa	1,056	67.4 (19)	678	21.5 (52)	673	12.2 (51)	359	12.5 (32)	366	7.4 (21)	799	85.9 (13)	1,754	23.4 (34)
City Mad	2,720	70.1 (13)	1,552	38.5 (4)	1,399	21.9 (6)	1,142	18.7 (15)	1,081	12.4 (3)	2,152	87.5 (8)	4,026	15.3 (4)
Clark Cty	583	66.9 (22)	384	27.6 (16)	392	18.6 (11)	262	20.2 (11)	252	8.3 (16)	422	82.9 (26)	927	20.4 (20)
Columbia C	655	70.5 (11)	435	22.3 (45)	409	10.3 (61)	226	17.7 (16)	216	7.9 (18)	471	80.5 (38)	1,050	25.5 (49)
Dane Cty	2,010	73.2 (6)	1,199	38.9 (3)	1,078	21.3 (7)	706	16.6 (21)	641	10.0 (7)	1,562	76.5 (57)	3,039	16.0 (6)
Dodge Cty	1,085	74.7 (4)	700	28.6 (12)	669	15.2 (34)	400	18.8 (14)	392	9.7 (9)	729	85.6 (15)	1,716	23.6 (36)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 2
Run Date: 8 / 24 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Door Cty	338	64.5 (29)	228	21.5 (52)	248	13.3 (42)	135	11.1 (43)	136	6.6 (31)	258	82.6 (27)	553	22.4 (31)
Dunn Cty	700	61.7 (43)	438	25.1 (24)	431	14.2 (37)	261	26.4 (2)	245	13.1 (2)	636	75.8 (59)	1,198	18.9 (17)
Eau Claire	1,662	65.9 (27)	1,125	22.9 (41)	1,127	10.9 (57)	676	14.8 (27)	665	8.1 (17)	1,284	79.7 (42)	2,716	22.2 (30)
Family Hea	805	55.3 (59)	510	36.5 (5)	520	34.2 (1)	238	5.0 (63)	233	4.3 (50)	526	70.7 (68)	1,250	23.4 (34)
Family Pla	2,664	54.2 (62)	1,672	20.3 (58)	1,583	13.1 (46)	875	15.2 (26)	862	5.8 (37)	1,992	78.9 (47)	4,282	23.6 (36)
Florence C	80	* *	59	* *	58	* *	30	* *	34	* *	79	* *	148	26.4 (53)
Fond du La	1,451	66.9 (22)	881	25.4 (21)	924	14.0 (38)	572	19.2 (13)	578	9.7 (9)	1,142	82.3 (29)	2,375	13.5 (2)
Forest Cty	171	48.5 (67)	105	15.2 (69)	113	5.3 (70)	80	* *	71	* *	192	73.4 (63)	316	32.0 (68)
GLITC	862	58.0 (52)	581	23.2 (39)	613	15.5 (28)	343	11.4 (42)	337	5.0 (44)	734	80.4 (39)	1,476	31.4 (66)
Grant Cty	862	61.7 (43)	624	24.2 (27)	635	13.4 (41)	305	16.1 (24)	325	6.2 (34)	685	87.2 (10)	1,455	22.0 (28)
Green Cty	572	57.7 (53)	369	24.1 (29)	375	17.3 (17)	251	16.3 (22)	237	5.9 (36)	346	85.5 (16)	826	28.1 (58)
Health	2,941	56.3 (56)	1,716	23.4 (36)	1,730	18.5 (12)	989	8.2 (57)	963	4.0 (53)	1,763	73.5 (62)	4,569	21.6 (27)
Jackson	383	72.6 (7)	242	22.3 (45)	248	15.3 (31)	134	20.9 (8)	139	7.2 (23)	373	85.8 (14)	684	28.4 (63)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 3
Run Date: 8 / 24 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Jefferson	1,347	71.5 (8)	996	28.5 (13)	878	15.8 (25)	531	10.0 (48)	499	7.0 (26)	1,005	83.2 (24)	2,146	18.5 (16)
Juneau	920	61.7 (43)	656	21.2 (56)	637	14.3 (36)	395	12.2 (34)	413	5.1 (41)	750	83.9 (22)	1,615	36.0 (70)
Kenosha Ct	3,238	54.5 (61)	1,669	18.5 (62)	1,779	10.1 (64)	948	12.0 (38)	918	4.9 (45)	2,313	79.6 (44)	5,044	23.6 (36)
Kewaunee C	217	68.2 (16)	164	23.8 (32)	167	16.2 (21)	93	* *	98	* *	188	76.6 (55)	391	23.8 (39)
La Crosse	1,785	67.4 (19)	1,162	27.0 (18)	1,129	15.9 (23)	673	16.2 (23)	678	6.2 (34)	1,365	84.7 (19)	2,883	16.8 (10)
Marinette	771	45.9 (69)	527	23.1 (40)	567	18.2 (13)	336	5.4 (62)	338	3.0 (58)	604	82.6 (27)	1,339	27.9 (57)
Menominee	318	66.4 (26)	182	25.3 (22)	199	11.6 (55)	91	* *	94	* *	305	87.5 (8)	530	27.4 (56)
Mil. City	6,490	47.5 (68)	3,969	15.5 (68)	4,288	9.7 (65)	2,266	5.8 (60)	2,259	2.0 (63)	4,868	65.6 (70)	10,592	23.3 (33)
MLK	2,370	50.5 (64)	1,379	16.8 (65)	1,414	10.4 (60)	696	8.3 (56)	696	2.3 (61)	1,866	66.2 (69)	3,831	32.6 (69)
Monitowoc	1,145	56.2 (57)	757	27.2 (17)	798	20.2 (8)	491	12.2 (34)	481	6.9 (27)	921	71.0 (67)	1,876	28.1 (58)
Monroe Cty	794	70.8 (10)	477	27.7 (15)	494	17.4 (16)	232	11.6 (41)	226	7.1 (25)	514	80.2 (40)	1,211	24.0 (42)
NEW Comm	4,251	61.1 (47)	2,830	24.5 (26)	3,049	15.7 (27)	1,631	8.8 (52)	1,642	4.1 (52)	3,423	77.1 (53)	7,206	17.3 (12)
NHA	3,300	55.0 (60)	1,960	18.4 (63)	1,989	12.0 (53)	1,081	6.4 (58)	1,050	3.4 (57)	1,974	86.7 (11)	4,887	22.1 (29)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 4
Run Date: 8 / 24 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
NWCSA	851	62.7 (37)	571	23.6 (34)	570	15.4 (29)	336	22.0 (5)	339	8.8 (13)	756	89.4 (5)	1,524	28.1 (58)
Oconto Cty	446	49.3 (65)	294	19.0 (61)	284	8.5 (68)	178	8.4 (55)	174	4.6 (48)	344	75.3 (60)	739	27.1 (55)
Oneida	404	61.6 (46)	256	20.7 (57)	284	16.2 (21)	148	8.8 (52)	140	4.3 (50)	310	74.5 (61)	638	27.0 (54)
Oneida Cty	491	63.5 (34)	313	26.2 (20)	288	12.5 (48)	195	20.5 (9)	189	10.1 (6)	300	90.7 (3)	741	23.9 (41)
Outagamie	2,013	62.2 (40)	1,212	21.3 (55)	1,314	11.4 (56)	802	13.7 (29)	761	6.6 (31)	1,499	76.6 (55)	3,223	20.0 (19)
Pierce Cty	491	59.7 (50)	337	22.8 (43)	348	10.6 (58)	196	11.7 (40)	191	5.2 (40)	407	86.5 (12)	828	21.5 (25)
Polk Cty	721	69.2 (14)	435	23.4 (36)	443	10.6 (58)	243	17.3 (17)	233	6.9 (27)	434	79.3 (46)	1,092	23.8 (39)
Portage Ct	891	62.6 (38)	570	33.2 (7)	542	24.7 (4)	334	16.8 (20)	315	9.8 (8)	660	88.6 (7)	1,466	16.7 (9)
Price Cty	273	62.3 (39)	207	24.6 (25)	212	13.2 (45)	111	6.3 (59)	117	5.1 (41)	307	84.4 (20)	530	25.3 (48)
Racine	964	48.7 (66)	568	18.3 (64)	544	12.3 (50)	348	4.9 (64)	330	2.4 (60)	860	71.6 (65)	1,538	19.0 (18)
Rusk Cty	307	57.7 (53)	226	22.1 (47)	229	18.8 (10)	126	8.7 (54)	131	3.8 (55)	312	83.0 (25)	584	25.9 (51)
Sauk Cty	1,002	75.0 (3)	682	29.9 (10)	621	15.8 (25)	411	21.7 (6)	399	11.3 (4)	652	89.7 (4)	1,604	49.5 (71)
Sawyer Cty	289	63.7 (32)	212	23.6 (34)	199	16.6 (20)	111	9.0 (50)	106	4.7 (46)	249	77.5 (52)	520	25.0 (47)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 5
Run Date: 8 / 24 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Seeds	2,432	71.2 (9)	1,519	23.4 (36)	1,670	12.2 (51)	843	10.1 (47)	825	4.7 (46)	1,945	79.9 (41)	3,892	15.6 (5)
Shawano	588	58.5 (51)	393	21.9 (49)	420	11.7 (54)	237	12.2 (34)	236	7.6 (20)	442	83.9 (22)	1,017	28.1 (58)
Sheboygan	1,774	63.0 (35)	1,068	24.2 (27)	1,136	14.0 (38)	819	9.9 (49)	794	5.3 (39)	1,231	77.6 (51)	2,713	21.3 (23)
St. Croix	882	68.5 (15)	549	29.3 (11)	528	15.9 (23)	383	20.4 (10)	350	9.1 (12)	558	73.3 (64)	1,343	18.4 (14)
SWCAP	1,058	66.9 (22)	645	22.9 (41)	587	17.5 (15)	425	16.9 (19)	415	7.2 (23)	707	80.9 (34)	1,634	22.6 (32)
Taylor Cty	321	62.0 (41)	220	21.8 (50)	224	10.3 (61)	112	13.4 (30)	117	5.1 (41)	249	81.5 (32)	546	31.7 (67)
Trempe	562	64.2 (30)	379	25.3 (22)	383	17.2 (18)	224	12.5 (32)	219	5.5 (38)	435	91.5 (2)	915	16.8 (10)
Vernon Cty	468	70.5 (11)	320	31.3 (8)	328	17.1 (19)	174	16.1 (24)	177	11.3 (4)	417	89.4 (5)	814	14.4 (3)
Vilas	189	61.9 (42)	119	16.8 (65)	107	8.4 (69)	71	* *	67	* *	115	78.3 (49)	280	25.7 (50)
Walworth C	1,600	74.2 (5)	1,049	30.9 (9)	943	17.7 (14)	604	24.2 (4)	570	8.4 (15)	987	81.9 (31)	2,434	16.5 (7)
Wash/Oz	1,514	67.4 (19)	929	23.7 (33)	980	14.8 (35)	647	20.2 (11)	628	9.2 (11)	1,002	79.7 (42)	2,320	21.0 (22)
Washburn C	307	63.8 (31)	214	28.5 (13)	211	13.3 (42)	133	17.3 (17)	134	6.7 (30)	243	85.2 (17)	491	20.8 (21)
Waukesha C	2,194	68.2 (16)	1,320	27.0 (18)	1,205	15.3 (31)	767	14.0 (28)	735	8.6 (14)	1,293	78.8 (48)	3,207	18.4 (14)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 6
Run Date: 8 / 24 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Waupaca Ct	655	59.8 (49)	392	19.9 (60)	406	13.5 (40)	231	10.4 (46)	221	2.7 (59)	432	81.0 (33)	1,009	28.6 (64)
Wee Care	6,166	55.5 (58)	3,968	15.9 (67)	3,932	10.3 (61)	2,390	5.8 (60)	2,428	2.1 (62)	4,332	76.0 (58)	9,688	21.5 (25)
West Allis	999	62.9 (36)	500	24.0 (30)	550	15.3 (31)	315	12.1 (37)	297	7.4 (21)	624	71.6 (65)	1,497	28.3 (62)
Winnebago	2,088	59.9 (48)	1,342	21.7 (51)	1,223	13.3 (42)	888	11.9 (39)	855	6.9 (27)	1,441	79.5 (45)	3,256	24.0 (42)
Wood Cty	1,158	52.5 (63)	680	22.6 (44)	646	19.2 (9)	356	21.3 (7)	346	6.6 (31)	824	77.9 (50)	1,795	24.5 (45)
Unknown Local Ag.	3,417	65.6 (28)	2,272	23.9 (31)	2,516	15.4 (29)	1,118	9.0 (50)	1,155	4.6 (48)	1,105	77.1 (53)	4,956	24.6 (46)
Wisconsin	96,979	61.3	60,730	24.3	61,664	14.9	36,177	12.2	35,606	5.9	70,201	79.0	154,497	21.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.